FIRE PROTECTION SYSTEM INSTALLATION & DESIGN GUIDE




TUKWILA FIRE MARSHAL'S OFFICE






EXAMPLE OF FIRE SPRINKLER ZONE MAP FOR FDC AND SPRINKLER RISERS







FIRE ALARM BELL STROBE ON STREET-SIDE OF BUILDING



BUILDING ADDRESS ON POST-INDICATOR VALVE (PIV)



BUILDING ADDRESS ON THE FIRE DEPARTMENT CONNECTION (FDC)



ADDRESSING AND PUMP PRESSURE SIGNAGE FOR FIRE DEPARTMENT CONNECTIONS



SIGNAGE FOR BUILDINGS EQUIPPED WITH EMERGENCY RESPONDER RADIO SYSTEM (ERRS)


ATTENTION

THIS BUILDING IS EQUIPPED WITH AN EMERGENCY RESPONDER SYSTEM.

Maintained by:

COMPANY NAME

PHONE NUMBER



ADDRESSING EXAMPLES FOR HOMES ACCESSED OFF PRIVATE DRIVE





ADDRESSING SITE MAP FOR PROPERTIES WITH MULTIPLE BUILDINGS



5" KNOX STORZ LOCKING CAP



FDC Locking Caps


Knox Storz Locks & Adapters

Model: 5002

- 1. Storz Lock Size
- O 4 inch
- 5 inch
- 3. Original Connection Size
- None
- O 4 inch
- O 6 inch
- O 4.5 inch NPT
- 5. Adapter Face
- None
- Gasket
- Metal Face

- 2. Storz Set
- Cap
- O Adapter & Cap
- Adapter
- 4. Adapter Angle
- None
- Straight
- O 30 Degree Elbow

2.5" KNOX LOCKING STANDPIPE CAP



Standpipe Locks


Knox Standpipe Lock

Model: 4011

1. Name

Model 4011 - Standpipe Lock,
 Female Locking Cap, 3.068 X 7.5
 TPI

KNOX PAD LOCK OPTIONS FOR MANUALLY OPERATED GATES





KNOX REMOTE POWER DISCONNECT BOX SURFACE OR RECESSED MOUNTABLE







KNOX REMOTE POWER BOX TECHNICAL SPECS

CEMENT PAD AROUND FIRE HYDRANT TO MAINTAIN PROPER CLEARANCE



BOLLARDS TO PROTECT FIRE HYDRANTS FROM VEHICLE IMPACT



EXAMPLES OF REMOVABLE BOLLARDS FOR A FIRE ACCESS ROAD



IMPACT PROTECTION FOR GENERATOR FUEL TANKS



EXAMPLE OF FIRE LANE STENCILING



FIRE LANE STENCILING GUIDE

EXAMPLES OF CASTER CHOCKS FOR COMMERCIAL COOKING EQUIPMENT





